



Strengths and Weaknesses of Access Control Systems

Eric Schmiedl and Mike Spindel



Choosing a System

- Error rate
- Environment
- Cost
- Physical Vulnerability
- Additional Constraints



Error Rate

- False Reject Rate (Type I error)
- False Accept Rate (Type II error)
- Equal Error Rate



Environment

- Does it have to handle inclement weather?
- Vandals?
- Extreme temperatures?



Cost

- You're on a budget.



Physical Vulnerability

- Decreased resistance to forced and covert entry
 - Electromagnets can be bypassed with packing tape
 - Electric strikes can disable anti-louiding features on locksets
 - “Louiding”: from the celluloid strips originally used to slip latches. Credit cards can also be used.
 - Request to exit sensors can be defeated with balloons, long pieces of plastic, etc.



Additional Constraints

- What load does the system need to handle?
How fast does it have to process users?
- Do you need different levels of access for different users? An audit trail?
- Does the system have to talk to a separate alarm system?
- Will it detect or resist physical attacks?



How to improve the security of any access control system



Stacking

What you have + What you know + What you are

- Improve either FAR or FRR (in the most common configuration)
- Can reduce security
 - e.g. mechanical key bypass



Centralized systems

- **Terminals**
- **Communication lines**
- **Servers**



Categories of Systems

- Guard
- Token
- Knowledge
- Biometric



Guard Checks Photo ID

- Good:
 - Simple
 - Low initial cost
 - Fast
 - Not affected by the environment.



Guard Checks Photo ID

- Bad:
 - Easy to counterfeit ID cards
 - Cards can be stolen
 - People get complacent
 - Guards have salaries, not a one-time purchase cost.



Guard Checks Photo ID



Source: www.african-safari-pictures.com



Guard Checks Photo ID

- Ugly:



Guard Checks Photo ID

- Ugly:
 - 32.6% error overall



Guard Checks Photo ID

- Ugly:
 - 32.6% error overall
 - Paranoid: 3/6 cashiers rejected a recent, accurate photo at least once



Guard Checks Photo ID

- Ugly:
 - 32.6% error overall
 - Paranoid: 3/6 cashiers rejected a recent, accurate photo at least once
 - 34.09% of the time a blatantly wrong photo was accepted



Guard Checks Photo ID

- Ugly:
 - 32.6% error overall
 - Paranoid: 3/6 cashiers rejected a recent, accurate photo at least once
 - 34.09% of the time a blatantly wrong photo was accepted
 - 50% false accept rate



Guard Checks Photo ID

- Ugly:
 - 32.6% error overall
 - Paranoid: 3/6 cashiers rejected a recent, accurate photo at least once
 - 34.09% of the time a blatantly wrong photo was accepted
 - 50% false accept rate
 - 63.64% FAR for a similar-looking photo



Tokens

- Mechanical key locks
- Magnetic cards
- Barcodes
- Proximity / RFID
- Smart cards / CPU tokens
- BFV and Wiegand Wire
- VingCard




Mechanical key locks

- Very reliable and need no power supply
- No audit trail
- Lots of security issues
 - Picking
 - Bumping
 - Decoding
- Attacking the master key
- Many different mechanical lock technologies



VingCard

- Mechanical keycards
- Quick to rekey
- Easy to copy
 - Hotel thieves example
- Electronic lock decoding
- Low security





Magnetic Stripe cards

- Low vs. High Coercivity
- Reliable (as long as there's no magnet around)
- Audit trail limited by back-end
- Cheap
- Trivial to read, duplicate, and potentially modify




Barrium Ferrite Cards

- Preceded HiCo magstripe standard
- Embedded layer of Barium Ferrite
- Tough:
 - Weather-resistant
 - High Coercivity
- Easy to decode
- Last seen in an automated parking system




Wiegand Wire

- Processed magnetic alloy
- Single apparent domain wall
- Low coercivity core
- High coercivity shell






Wiegand Card




Saturating Magnets



Read Heads




Field Strength





Wiegand





Wiegand Wire

- First attack published in 1996 on cypherpunks list:
- Cut wires out of a card and rearrange
- Vulnerable to emulation style attacks





Barcodes


- Cheap, low security
- 1D and 2D versions
- Easy to duplicate
- Invisible barcodes



Prox / RFID

- Many well-known issues
- Cloning
- Hybrid RFID / Magstripe systems

<http://web.mit.edu/keithw/Public/MIT-Card-Vulnerabilities-March31.pdf>



Richard M. Stallman's Office Key

Image credit Austin Roach, Josh Mandel,
and Keith Winstein of MIT



CPU Tokens

- Smart cards, iButtons
- It's easy to make a 'virtual' token
- Cryptographic authentication is necessary for real security
- DirecTV vs. Hackers





Knowledge

- Mechanical combination locks
- Electronic keypads
- Safe-type electronic locks



Mechanical combination locks





Mechanical combination locks

- Good:
 - Simple, reliable, and no power necessary






Mechanical combination locks

- Good:
 - Simple, reliable, and no power necessary
- Bad:
 - No audit trail
 - Can be manipulated (usually)
 - Brute force attack
 - <http://www.cs.berkeley.edu/~bh/v3ch2/math.html>
 - <http://www.tech-faq.com/simplex-lock-combinations.shtml>






Simplex operation






Opening Procedure






Which tumbler is binding?






Push I. Is a new tumbler binding?





Advance tumbler 1 by pushing a “throwaway” button -- here, number 5 -- and check if another tumbler is binding




This tumbler is advanced by 1

when I push this one




Try pushing another throwaway button -- 4 -- and check for binding






Reset, and try the combination 152






Check if any new tumblers are binding
now






Reset, and try the combination 125






Check if any new tumblers are binding
now





Reset and try the combination 123





Electronic keypads





Electronic keypads

- Attacks





Electronic keypads

- Attacks
- The UV powder trick
 - Attacker needs to enter very many combinations
 - So use a highlighter








Electronic keypads


- Attacks
- The UV powder trick
 - Attacker needs to enter very many combinations
 - So use a highlighter
- Shoulder surfing and hidden cameras































Electronic keypads





Electronic keypads



Photograph by Schlage



Electronic keypads

- Dynamically changing “scramble-key” high-security keypads fix most of these problems



Photograph by Schlage



Electronic keypads

- Dynamically changing “scramble-key” high-security keypads fix most of these problems
- Users can still distribute the combination



Photograph by Schlage



Safe-type electronic locks





Safe-type electronic locks



Safe-type electronic locks

- Very secure



Safe-type electronic locks

- Very secure
- Audit trail usually available
- LaGard Navigator
 - Web-based lock designed for ATMs, extensive audit trail
 - User connects smart phone or PDA loaded with client software that allows the lock to communicate with the server



Safe-type electronic locks

- Very secure
- Audit trail usually available
 - LaGard Navigator
 - Web-based lock designed for ATMs, extensive audit trail
 - User connects smart phone or PDA loaded with client software that allows the lock to communicate with the server
- Some are vulnerable to spiking and other safe-technician tricks



Biometrics

- Voice
- Face
- Fingerprints
- Hand geometry
- Retina scan
- Iris scan
- Signature



Voice pattern recognition

- Reliability
 - Time, stress, illness
- Easy to defeat



Face recognition

Hold up a photo or a laptop



Fingerprints



Fingerprints

- Guess what your fingers leave behind on the sensor?
 - Use gummi bears, breath, water-filled bag (condom)



Fingerprints

- Guess what your fingers leave behind on the sensor?
 - Use gummi bears, breath, water-filled bag (condom)
- Environment around the sensor has fingerprints too



Fingerprints

- Guess what your fingers leave behind on the sensor?
 - Use gummi bears, breath, water-filled bag (condom)
- Environment around the sensor has fingerprints too
- Supervision by trained guards





Multispectral imaging

- The manufacturer claims that it:
 - Does not require contact between the finger and reader
 - Is capable of reading when the reader is immersed in water
 - Inherently differentiates between a live finger and any prosthetic




Multispectral Imager






Finger


Finger + thin shell




Finger 1




Finger 2



Finger 3



Prosthetic



Images from lumidigm.com

Multispectral imaging

<http://www.lumidigm.com>



Hand geometry

- Hands are not unique
- Privacy
- Dummy hands







Retina scan

- Nobody in the public literature has yet falsified a retina.
- Invasive



Iris scan



Iris scan

- Effectively zero error rate
 - 1 in 1 million Equal Error Rate
 - For FRR of 0.0001%, an FAR of 1 in a trillion ($1 \times 10^{-12}\%$)




Iris scan

- Effectively zero error rate
 - 1 in 1 million Equal Error Rate
 - For FRR of 0.0001%, an FAR of 1 in a trillion ($1 \times 10^{-12}\%$)
- Defeating iris scan
 - Magazine covers
 - Printing on contact lenses



Signature

- Measure pressure and velocity
- 1% ERR
 - Banks demand 1% FAR and 0.01% FRR
- Forging signatures is easy to learn





Further reading

- Ross Anderson's Security Engineering
- Ross, et al. Handbook of Multibiometrics